
	I	Q	н т	m	0







Keying Shown as example

CHARACTERISTICS

-Salt Spray

BASIC SERIES:

SHELL SIZE : 11

SHELL TYPE : Square Flange Receptacle

PLATING : X = Without Plating

Н

CONTACT TYPE : Standard Crimp Contact

-Mass

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Composite				
-Shell Plating	: Without Plating				
-Insulator	: Thermoplastic				
-Contacts	: Copper Alloy				
-Seals & Grommet	: Silicon Elastomer				
-Contact Plating	: Gold over copper Alloy 0.8µm minimum				
-Durability	: 500 Mating cycles				
-Delivered with Souriau contacts and Accessories					
-Temperature Range	: -65°C to +175°C				

: 2000 hours

: 13.3 g ± 10%

8D 0


G

11

Х

01

Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	20.62
R2	18.26
S	26.2±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
VV THREAD	M15x1-6g



C B >							
					4		
LAY	OUT SHOWN AS EXA	MPLE			3		
SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)							
FR Not Listed PN: 8D011X01BE							
First Release Latest modificatio	n - bv			 MOD N°			
Date:	··· ~1		CUSTOMER DRAWING				
Composite Receptacle 8D series							
$\exists \bigoplus$	General linear Tolerances: ±		NPRDS / PROJECT 859		1		
WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission							
	SOURIAU I 8D011X0			SHEET			
С		B	A		J		

		۵	н Г	m	D	0	
		Contact Layout				Panel Cuto	out
4		01			A	SQUARE FLANGE RECEPTACLE (TYPE 0)	
	Ctc	1#12 11-01 X Y			₩ 2	ØI	20
ω	A	0 0]			Dim ØA ØAA R1 ØT	
						SOURIAU shall not be liable for ar due to a use of the Products w the Specifications issued by either o (professional recommenda	/hi of
0						Count FR	
					A 08-10-20 ISS DATE Designed By:	PN: 8D011 16 First Release Latest modification - by Date:	_X
-					TITLE SCALE NA	General linear Tolerances:	e
					FORMAT	U WWW.SOURIAU.G	
		-	_	- 7	A3	8D011X	
	Н	G	l F	E	D	C	

