

т	۵	п	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

ယ

 \sim

-Mass

BASIC SERIES:

SHELL SIZE : 11

SHELL TYPE : Square Flange Receptacle

PLATING : Z = Black Zinc Nickel

Н

CONTACT TYPE : Standard Crimp Contact

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium			
-Shell Plating	: Black Zinc Nickel			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	_∶ -65°C to +175°C			
-Salt Spray	: 500 hours			

: 14.18 g ± 10%

8D 0

G

11

Ζ

02

В


F

D

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
РР	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



				-		
Φ		А				
				4		
L é						
	1					
S EXAMPLE				3		
any non-conformi						
which does not co		V				
	of the Parties or by a third party ation, technical notice.)					
FR	Not Listed					
1Z02BD						
			1			
			MOD N°			
	CUSTOMER	R DRAWING				
um Receptac	n Receptacle 8D series					
ar	NPRDS / PROJECT 859					
			perty of	1		
.COM						
		must not be reproduced or municated without permission				
U DRG N°			SHEET			
Z02BD-C			1/2			
B		A		J		

ſ	<u>т</u>	G		П	m		0	
		Contact Layout						Panel Cutou
4	.x .0 (2.	+Y IB IA IA IA IA IA IA IA IA IA IA				2	SQUARE FLANGE RECEPTACLE REAR MOUNTING	
	Shell Arrangement size no. 11 -2	tion X-axis Y-axis (mm) (mm) A +0.95 (2.41) +.000 (.00) B095 (2.41) +.000 (.00)	Contact location All				F	Dim
ى ى								ØA ØAA R1 ØT
							due to a us the Specification	Il not be liable for an se of the Products wh ns issued by either of sional recommendat
S								PN: 8D0112
							0-2016 First Release ATE Latest modificat Date	
<u> </u>						SCALE NA		General linear Tolerances: ±
						FORMAT	AU WWW	v.souriau.c
	Н	G		F	E	A3	C	8D011Z0
	11	, U	I		· L	\vee		1

