	E O	гт	m	I	7	C		Ξ	A		-
4	R 22.6 Max 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S				<image/>	AYOUT SHOWN AS EXAM	WPLE			4
	CHARACTERISTICS Standard : Based on MIL-DTL-38999 Series III	Keying Shown as e	Connector dimension Dim Nominal								
2	-Shell Material: Aluminium-Shell Plating: Black Zinc Nickel-Insulator: Thermoplastic-Contacts: Copper Alloy-Seals & Grommet: Silicon Elastomer-Contact Plating: Gold over copper Alloy 0.8µm minimum		A 34.9±0.3 B 19.07+0.1/-0.15 R 32.5Max S 31.8±0.4 W 2.2+0.9/-0.1 VV THREAD M15x1-6g			due to a use the Specification	not be liable for any not e of the Products which is issued by either of the sional recommendation Country FR	does not comply v e Parties or by a th , technical notice.) Jurisdiction	with ird party		2
	-Durability: 500 Mating cycles-Delivered with Souriau contacts and Accessories-Temperature Range: -65°C to +175°C			ĺ	A 01-10-20	016 First Release	PN: 8D711Z0	95AE			-
_	-Salt Spray : 500 hours -Mass : 19.48 g ± 10%				ISS DATE Designed By:			CUS	TOMER DRAWING	MOD N°	
_ _	BASIC SERIES: 8D 7 - 11 Z SHELL TYPE : Jam nut Receptacle	05 A E			SCALE NA		Aluminium R General linear Tolerances: ±	N	IPRDS / PROJECT 859	portu of	1
	CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 11 PLATING : Z = Black Zinc Nickel		ORIEN CONTACT TYPE : PIN(500 CONTACT LAYO		FORMAT	U www	SOURIAU.CO	M	This document is the prop SOURIAU it must not be reproduc communicated without pe	ed or	-
	H G	F	E]	A3	C	8D711Z05	BAE-C	A	1/2	

Control Look: Not Look: Image: Control Look: Image: Control Look: Image: Control Look:		т	Q	П	п		0	σ	A	_	
Image: State Stat	4	-X	$\begin{array}{c} & & & \\ & &$								
Image: Source of the Product which days not comply with the party group of th	_	posi It E C C E Shell Arrangement Nun	(Insert arrangement 11-5) ttact Contact location D X-axis Y-axis (mm) (mm) (mm) A +.065 (1.65) +.056 (1.42) B +.113 (2.87) 065 (1.65) C +.000 (0.00) 130 (3.30) D 113 (2.87) 065 (1.42) mber of Size Service Contact Supersedes				ØC				
due to a use of the Products which does not comply with the Specifications issued which does not comply with the Specification state of the Products which does not comply with the Specification issued which does not comply with the Specification issued which does not complex which doe	ω					E	B 19.59+0/-0.25			3	
Image: Normal Source of the property of source of the s							due to a use of the Products w the Specifications issued by either o	hich does not compl If the Parties or by a	y with third party		
ISS DATE Latest modification - by MOD N° Designed By: Date: CUSTOMER DRAWING TITLE Aluminium Receptacle 8D series Image: Customer Drawing SCALE SCALE General linear NPRDS / PROJECT NA Tolerances: 359 350URIAU SOURIAU WWW.SOURIAU.COM This document is the property of SOURIAU SOURIAU FORMAT SOURIAU DRG N° SHEET A3 8D711205AE-C 2/2			FR Not Listed							2	
SCALE A General linear NPRDS / PROJECT 859 1 NA This document is the property of SOURIAU SOURIAU SOURIAU it must not be reproduced or communicated without permission FORMAT SOURIAU DRG N° SHEET A3 8D711Z05AE-C 2/2						ISS DATE Designed By:	Latest modification - by Date:		USTOMER DRAWING		
FORMAT SOURIAU DRG N° SHEET A3 8D711Z05AE-C 2/2						SCALE	General linear Tolerances:		NPRDS / PROJECT 859 This document is the property of SOURIAU	1	
		Н	G	F	E	FORMAT	SOURIAL	DRG N°	it must not be reproduced or communicated without permission SHEET		